

FROM:KFORU

TO:3182864936

FEB 3, 1994 2:54PM P.02

FEB 3 '94 13:13 FROM UCLA-OCGA

PAGE.002

AD-A278 396

ON PAGE

Form Approved  
GSA No. 0700-0100

1. This report contains information that may be exempt from automatic downgrading and declassification. It is the policy of the Department of Defense to ensure that this information is not released to the public without proper review and control. For more information, see the Department of Defense Policy on the Release of Information, 1993 Edition.

1. REPORT DATE 2/3/94		2. REPORT TYPE AND DATES COVERED Final Technical Report 1/1/90-9/30/93	
3. TITLE AND SUBTITLE Dynamic Constraint Networks (21)		4. FUNDING NUMBERS 2304/A2 61102F	
5. AUTHOR(s) Professor Judea Pearl		6. PERFORMING ORGANIZATION REPORT NUMBER AFR-TR-94 017	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Univ of California, Los Angeles 405 Hilgard Avenue Los Angeles, CA 90024-1406		8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/MD Building 410, Bolling AFB DC 20332-6448		10. SPONSORING/MONITORING AGENCY REPORT NUMBER AFOSR 90 0136	
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION/AVAILABILITY STATEMENT APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.		12b. DISTRIBUTION CODE 21	
13. ABSTRACT (Maximum 200 words) The primary objective of this project has been the development of systems that reason in dynamic and open-ended environment and that use networks as their primary representation language. The focus of our research has been temporal reasoning, neural networks, truth maintenance, and default reasoning. This investigation has led to several basic results: the expressiveness of constraint networks was analyzed, tractable classes of constraint satisfaction problems were identified and effective processing techniques were developed.			
14. SUBJECT TERMS		15. NUMBER OF PAGES 6	
16. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED		17. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	
18. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED		19. LIMITATION OF ABSTRACT SAR	

NSN 7540-01-280-5500

Standard Form 298 (Rev. 7-89)  
Prescribed by ANSI Std. Z39-18

UNCLASSIFIED 3

\*\* TOTAL PAGE.002 \*\*


318 825 2273

PAGE.002

94-12042

94-4 20 113

# DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

81  
18740  
Looped In 2/4/94  
WV

**FACSIMILE TRANSMISSION COVER SHEET**

**University of California, Los Angeles**  
**OFFICE OF CONTRACT AND GRANT ADMINISTRATION**

1400 Ueberroth Building  
405 Hilgard Avenue  
Los Angeles, CA 90024-1406

FAX Numbers: (310) 206-4996  
(310) 206-3619

**DATE:** February 3, 1994

**TO:** Mr. Roger Goldenberg  
AFSOR

FAX No.: (202) 404-7951  
Phone No.: (202) 404-7467

**FROM:** Sharon Lam

Phone No.: (310) 825-0695

If you did not receive 8 pages (including cover sheet), please call at

**COMMENTS:**

Mr. Goldenberg:

Enclosed is the final technical report for Dr. Pearl's AFSOR 90-0136. This delinquent report was holding up Dr. Davis's AAASERT grant start date of 2/4/94 for \$156,915.

FROM:KACRU

TO:3182264996

FEB 3, 1994 2:54PM P.03

AFOSR-TR- 94 0171

Approved for public release;  
distribution unlimited.**SUMMARY OF RESEARCH RESULTS**

Specifically, the following results were obtained during the period of performance:

1. Theoretical limits were obtained on the expressiveness of constraint networks that contain hidden variables. Trade-offs were established between the number of hidden variables required and the size of their domain to ensure that an arbitrary relation be expressible as a constraint network. Similar relationships were developed between the sizes of the variables domain and the level of local consistency to ensure global consistency.
2. Distributed, self-stabilizing algorithms were developed for solving a general network consistency problem, and for performing truth-maintenance tasks on singly-connected structures. Effective methods were developed for combining qualitative and quantitative information for temporal reasoning.
3. New applications of constraint networks were identified in the area of default reasoning, leading to new effective algorithms and tractable sublanguages for representing defeasible information.
4. A new framework was developed for planning under uncertainty, combining causal networks, qualitative probabilities, and qualitative utilities.

Results listed under items 1 and 2 above are described in the accompanying list of publications. The following is an elaboration of recent achievements summarized under items 3 and 4 above.

**Default reasoning with constraint networks**

The main goal of this project has been to identify the features that render certain classes of non-monotonic theories tractable, and to implement our findings in a working system. The approach has been to map default theories into well understood languages such as propositional logic and constraint networks so as to transfer semantics and techniques from the latter to the former.

The approach was pursued by Rachel Ben-Eliyahu (PhD, July 1993) and has led to remarkable results, summarized in six publications. Basically Rachel has shown that, contrary to prevailing folklore and some unrealistic theoretical results, practical non-monotonic reasoning need not be harder than monotonic reasoning. She has found a way of translating non-monotonic tasks to propositional theories such that queries (about membership and entailment) posed in the former framework can be answered by the latter.

We believe these results will have a significant impact on the eventual (and inevitable) implementation of commonsense reasoning in practical computer systems. Our more recent explorations aim at finding a translation (using Clark's completion) that will permit the implementation of default logic in existing PROLOG systems.

**Qualitative planning under uncertainty**

FROM:KACRU

TO:3182864996

FEB 3, 1994 2:53PM P.04

Most real-world knowledge is expressed qualitatively yet it is processed by principles other than those of classical logic. World knowledge include, for example, the typical properties of objects and classes, what an agent should expect given facts observed in the world, and how the world would react to actions taken by the agent. Such facts and expectations, are usually expressed in the form of logical sentences which tolerate exceptions and there has been a long tension between the logical and probabilistic approaches of processing such sentences.

The method of qualitative probabilities we have been developing in the past few years (first with J. Geffner (PhD, 1990) and more recently with M. Goldszmidt (PhD, 1992)) provides ways of combining logic and probabilities so as to achieve the benefits of both. With the aid of this method it became possible to derive natural priorities among conflicting sentences, and to answer queries without computing explicit rankings of models or formulas. The result is a semi-tractable account of plausible beliefs which, as in classical logic, are qualitative and deductively closed and, as in probability, are subject to retraction and to varying degrees of firmness.

A major progress along this research is the successful incorporation of causal expressions, which has been an embarrassing stumbling block in all non-monotonic systems. This last step has provided a genuine qualitative counterpart to probabilistic networks and now offers a unifying framework for performing prediction, abduction, inheritance, and control. Our most recent achievement toward a fully autonomous reasoning agent has been the development of a qualitative decision theory which combines qualitative information about utilities and likelihood, thus providing the basis for qualitative planning under uncertainty.

The surprising aspect of our finding has been the economy and simplicity of the knowledge required for implementing this scheme. In particular, we have shown that adding a single causal network as part of the agent knowledge base is sufficient for specifying the dynamics of beliefs under any sequence of actions and observations, thus facilitating the analysis of actions, their consequences, their interaction with observations, their expected utilities and, hence, the synthesis of plans and strategies under uncertainty.

In summary, we have developed a comprehensive framework for a practical autonomous reasoning agent that is unique in several respects: It is grounded in sound probabilistic semantics, it is tractable for many practical purposes, and it is versatile, incorporating variable-strength expressions, pooling of evidence, actions, cause-effect relationships and utility information. We believe that this system will be the front runner in applications involving sensor interpretation planning, and control.

#### List of Publications Resulting from the AFOSR Award

Geiger, D. and Pearl, J., "Logical and Algorithmic Properties of Conditional Independence and Graph Separation," *The Annals of Statistics*, December 1993.

FROM: KAORU

TO: 3182864996

FEB 3, 1994 2:58PM P.05

- Pearl, J., "From Adams Conditionals to Default Expressions, Causal Conditionals, and Counterfactuals," forthcoming in B. Skyrms (Ed.), *Festschrift for Ernest Adams*, Cambridge University Press, 1993.
- Pearl, J., "Aspects of Graphical Models Connected With Causality," to be presented at the 49th Session of the International Statistical Institute, Florence, Italy, August 25 - September 2, 1993.
- Pearl, J., "Graphical Models, Causality, and Intervention," Comments on: 'Linear Dependencies Represented by Chain Graphics' by Cox, D. and Wermuth, N., and 'Bayesian Analysis in Expert Systems' by Spiegelhalter, Dawid, Lauritzen, and Cowell, in *Statistical Science*, 266-269, August 1993.
- Pearl, J., "From Conditional Oughts to Qualitative Decision Theory," in D. Heckerman and A. Mamdani (Eds.), *Proceedings of the Ninth Conference on Uncertainty in Artificial Intelligence*, Morgan Kaufmann, CA, 12-20, July 1993.
- Verma, T.S. and Pearl, J., "Deciding Morality of Graphs is NP-Complete," in D. Heckerman and A. Mamdani (Eds.), *Proceedings of the Ninth Conference on Uncertainty in Artificial Intelligence*, Morgan Kaufmann, CA, 391-397, July 1993.
- Ben-Diliyah, R., "From Program Completion to Default Logic," to be presented at the International Workshop on Logic Programming and Nonmonotonic Reasoning (LPNMR 93), Lisbon, Portugal, June 1993.
- Dechter, A., Dechter, R., and Schwalb, E., "Redundancies in Constraint Networks," UCLA Computer Science Department, Technical Report (R-196), April 1993.
- Pearl, J., "From Adams' conditionals to default expressions, causal conditionals, and counterfactuals," to appear in *Festschrift for Ernest Adams*, Cambridge University Press, 1993.
- I. Mciri and R. Dechter. "Experimental Evaluation of Constraint Processing," to appear in *Artificial Intelligence Journal*, 1993.
- Pearl, J., "Belief Networks Revisited," *Artificial Intelligence*, 59, Elsevier, 49-56, 1993. (Invited - Special Issue, "AI in Perspective")
- Goldszmidt, M., Morris, P., and Pearl, J., "A Maximum Entropy Approach to Nonmonotonic Reasoning," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 15, No. 3, 220-232, March 1993.
- Geiger, D., Paz, A., and Pearl, J., "Learning Simple Causal Networks," *International Journal of Intelligent Systems*, John Wiley and Sons, Inc., Vol. 8, 231-247, 1993.

FROM: KADRU

TO: 318254996

FEB 3, 1994 2:58PM P.06

- Ben-Eliyahu, R. and Dechter, R., "Inference in inheritance networks using propositional logic and constraints networks techniques," *AI-92: Proceedings of the 9th Canadian conference on AI*, Vancouver, British Columbia, Canada, 183-189, 1992.
- Dechter, R. and Pearl, J., "Structure Identification in Relational Data," *Artificial Intelligence*, 58 (1-3), 237-270, 1992.
- Dechter, R., "From local to global consistency," *Artificial Intelligence*, 55, 87-107, 1992.
- Pearl, J. and Verma, T., "A Statistical Semantics for Causation," *Statistics and Computing*, Vol. 2, 91-95, 1992.
- Ben-Eliyahu, R. and Dechter, R., "On Computing Minimal Models," UCLA Cognitive Systems Laboratory, in *Proceedings of the 11th National Conference on Artificial Intelligence, AAAI-93*, Washington, DC, 2-8, July 1993.
- Goldschmidt, M., "Qualitative Probabilities: A Normative Framework for Commonsense Reasoning," UCLA Cognitive Systems Laboratory, *Technical Report (R-190)* (PhD dissertation), October 1992.
- Goldschmidt, M. and Pearl, J., "Rank-based systems: A simple approach to belief revision, belief update, and reasoning about evidence and actions," in B. Nobel, C. Rich, and W. Swartout (Eds.), *Proceedings of the Third International Conference on Knowledge Representation and Reasoning*, Cambridge, MA, 661-672, October 1992.
- Dechter, R. and Dechter, A., "Structure-Driven Algorithms for Truth Maintenance," UCLA Cognitive Systems Laboratory, *Technical Report (R-182, Revision 11)*, August 1992, Submitted to *Artificial Intelligence*.
- Goldschmidt, M. and Pearl, J., "Reasoning With Qualitative Probabilities Can Be Tractable," in *Proceedings, 8th Conference on Uncertainty in Artificial Intelligence*, Stanford, CA, Morgan Kaufmann, San Mateo, CA, 112-120, July 1992.
- Pinkas, G., and Dechter, R., "A connectionist energy minimization algorithm that optimizes tree subnetworks," in *Proceedings of the National Conference on Artificial Intelligence*, San Jose, CA, July 1992, 434-439.
- Verma, T. S., and Pearl, J., "An Algorithm for Deciding if a Set of Observed Independencies has a Causal Explanation," in *Proceedings, 8th Conference on Uncertainty in Artificial Intelligence*, Stanford, CA, Morgan Kaufmann, San Mateo, CA, 323-330, July 1992.
- Dechter, R., "Constraint networks", *Encyclopedia of AI*, 2nd Edition, John Wiley & Sons, New York, January 1992, 276-285.

FROM: KADRU

TO: 3182264996

FEB 3, 1994 2:57PM P.07

- Dechter, R. & Meiri, I., "Experimental Evaluation of Preprocessing Techniques in Constraint-Satisfaction Problems," UCLA Cognitive Systems Laboratory, *Technical Report CSD-890033 (R-174)*, January 1992. To appear in *Artificial Intelligence*.
- Meiri, I., "Temporal Reasoning: A Constraint-Based Approach." UCLA Cognitive Systems Laboratory, *Technical Report (R-173)* (PhD dissertation), January 1992.
- Pearl, J., "Epsilon-Semantics," *Encyclopedia of AI*, 2nd Edition, John Wiley & Sons, Inc., New York, January 1992, 468-475.
- Pearl, J., "Rejoinder to Comments on "Reasoning With Belief Functions: An Analysis of Compatibility", *International Journal of Approximate Reasoning*, 6, January 1992, 425-443.
- Pearl, J., "Bayesian Inference Methods," *Encyclopedia of AI*, 2nd Edition, John Wiley & Sons, Inc., New York, January 1992, 89-98.
- Pearl, J., "Probabilistic Semantics for Nonmonotonic Reasoning: A Survey," in R. Cummins and J. Pollock, Eds., *Philosophy and AI - Essays at the Interface*, Bradford Books/MIT Press, Cambridge, MA, December 1991, 157-187.
- Goldszmidt, M., & Pearl, J., "On the consistency of defeasible databases," *Artificial Intelligence*, 52, December 1991, 121-149.
- Ben-Elmehdi, R. and Dechter, R., "Propositional Semantics For Disjunctive Logic Programs," Cognitive Systems Lab, UCLA, R-170, 1991. To appear in *Annals of Mathematics and AI*.
- Dechter, R., Meiri, I., and Pearl, J., "Temporal Constraint Networks." *Artificial Intelligence*, Vol. 49, 1991, 61-95.
- Dechter, R. and Pearl, J., "Directed Constraint Networks: A Relational Framework for Causal Modeling." in *Proceedings, 12th International Joint Conference of Artificial Intelligence (IJCAI-91)*, Sydney, Australia, August 24-30, 1991, pp. 1164-1170.
- Meiri, I. "Combining Qualitative and Quantitative Constraints in Temporal Reasoning." In *Proceedings, AAAI-91*, Anaheim, CA, July 1991, Vol. 1, pp. 260-267. To appear in *Artificial Intelligence*.
- Collin, Z., Dechter, R., and Katz, S., "On the Feasibility of Distributed Constraint Satisfaction." In *Proceedings, IJCAI-91*, Sydney, Australia, August 24-30, 1991, pp. 318-324.



FROM: KAOJU

TO: 3182854936

FEB 3, 1994 2:58PM P.00

Ben-Eliyahu, R., and Dechter, R., "Default Logic, Propositional Logic and Constraints." In *Proceedings, AAAI-91*, Anaheim, CA, July 1991, Vol. 1, pp. 379-385.

Collin, Z. & R. Dechter. "A Distributed Solution to the Network Consistency Problem." In *Proceedings, ISMIS-90*, Knoxville, TN, pp. 242-251.

Meiri, I., R. Dechter & J. Pearl, "Tree Decomposition with Application to Constraint Processing." In *Proceedings, AAAI-90*, Boston, MA, 7/29-8/3/90, pp. 10-16. Submitted to *JACM*.

Dechter, R. & A. Dechter, "Structure-Driven Algorithms for Truth Maintenance." UCLA Cognitive Systems Laboratory, *Technical Report (R-138)*, February 1990.

Meiri, I. & J. Pearl, "Faster Constraint Satisfaction Algorithms for Temporal Reasoning." UCLA Cognitive Systems Laboratory, Computer Science Dept., *Technical Report (R-151)*, July, 1990.

Dechter, R., "On the Expressiveness of Networks with Hidden Variables." In *Proceedings, AAAI-90*, Boston, MA., 7/29-8/3/90, pp. 556-562.

#### List of Students Supported by the AFOSR Award

Alex Balke

Rachel Ben-Eliyahu (PhD, July 1993), "Nonmonotonic Reasoning in Classical Logic."

Huy Cao

Dan Geiger (PhD, 1990) "Graphoids: A Qualitative Framework for Probabilistic Inference."

Moises Goldszmidt (PhD, December 1992), "Qualitative Probabilities: A Normative Framework for Commonsense Reasoning."

Jim Kan

Ilay Meiri (PhD, January 1992), "Temporal Reasoning: A Constraint-Based Approach."

Sek-Wah Tan

Mitchell Tsai

Thomas Verma (degree expected: PhD, Winter 1994)

Amir Weinshtain (MS, 1991)

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution _____	
Availability Codes	
Dist	Avail and/or Spec
A-1	